



⇔cleanline

31043

Lobby Broom, 260 mm, Soft/hard, Blue





Easily clean the narrow spaces between production line equipment with this Lobby Broom. Ideal for sweeping dry areas, perfect for use with a lobby pan, and can be used with any Vikan handle.

CLEANLINE BV

Technical Data

Alaterial Complies with (EC) 1935/2004 on food contact materials Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice EDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006	31043
Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice EDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006	75 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice EDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006	Polypropylene Polyester Stainless Steel (AISI 304)
Manufacturing Practice DA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
	Yes
	Yes
California Proposition 65 Compliant	Yes
Ise of phthalates and bisphenol A	No
s Halal and Kosher compliant	Yes
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	800 Pcs
Quantity Per Layer (Pallet)	80 Pcs.
ength	260 mm
Vidth	35 mm
leight	175 mm
let Weight	0.34 kg
Veight bag (Recycling Symbol "4" Low Density Polyethylene LDPE)	0.0078 kg
Veight cardboard (Recycling symbol "20" PAP)	0.022 kg
are total	0.0298 kg
Gross Weight	0.37 kg
Cubik metre	0.001592 M3
Recommended sterilisation temperature (Autoclave)	121 °C
lax. cleaning temperature (Dishwasher)	93 °C
lax usage temperature (food contact)	80 °C
lax usage temperature (non food contact)	100 °C
lin. usage temperature³	-20 °C
lax. drying temperature	100 °C
lin. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	
Stin-13 Number	10.5 pH
GTIN-14 Number (Box quantity)	<u> </u>

Customs Tariff No. 96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.

