



31793

Broom, 410 mm, Soft, Blue





This Broom is designed to effectively sweep flour, starch and other powders from dry areas. Can be used with any Vikan handle.







Technical Data

Visible bristle length 56 mm Material Polypropylene Polyester Stainless Steel (AISI 304) Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials* Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes EDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 65 mm Height 130 mm Not Weight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE) 20 Cm Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Gross Weight 0.53 kg Cubik metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) 121 °C <th>Item Number</th> <th>31793</th>	Item Number	31793
Complies with (EC) 1935/2004 on food contact materials¹ Polysester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Yes Complies with UK 2019 No. 704 on food contact materials Yes California Proposition 65 Compliant Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 65 mm Height 130 mm Net Weight 0.5 kg Weight cardboard (Recycling symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 7 are total Cubik metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317934	Visible bristle length	56 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 California Proposition 65 Compliant Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Width California Proposition 65 Compliant Width California Proposition 65 Compliant Wes Box Quantity 10 Pcs. Quantity Per Layer (Pallet) California Proposition 65 Compliant Width California Proposition 65 Compliant Wes Weight Caycling Pallet (80 x 120 x 180-200 cm) Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Care total Care t	Material	Polyester Stainless Steel (AISI
Manufacturing Practice Yes Compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 65 mm Height 130 mm Net Weight 0.5 kg kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0162 kg Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Tare total 0.0252 kg Gross Weight 0.03465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 0.00 °C Min. usage	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 65 mm Height 130 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0162 kg Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Tare total 0.0252 kg Gross Weight 0.03465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH <th< td=""><td></td><td>Yes</td></th<>		Yes
Meets the REACH Regulation (EC) No. 1907/2006 California Proposition 65 Compliant Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Yes Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Length Width 65 mm Height 130 mm Net Weight 40.5 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Cubik metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max. usage temperature Min. usage temperature Min. pH-value in usage concentration 7 ves No Recommended sterilisation tended sterilisation 10.5 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 7 ves No No 10 Pcs. 10 Pcs. 11 Pcs. 12 Pcs. 12 Pcs. 14 Pcs. 14 Pcs. 14 Pcs. 15 Pcs. 16 Pcs. 16 Pcs. 16 Pcs. 16 Pcs. 17 Pcs. 18 Pcs.	FDA compliant raw material (CFR 21)	Yes
California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 65 mm Height 130 mm Net Weight 0.5 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0162 kg Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Tare total 0.0252 kg Gross Weight 0.03 kg Cubik metre 0.03465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 20 °C Max. drying temperature 20 °C Min. ph-value in usage concentration 2 pH Max. ph-value in Usage Concentration 10.5 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Ength Width 65 mm Height 130 mm Net Weight Reight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Outled kg Tare total Cubik metre Outled Max. cleaning temperature (Dishwasher) Max usage temperature (Dishwasher) Max usage temperature (non food contact) Max. drying temperature Min. pH-value in usage concentration To ph Max. pH-value in Usage Concentration To possible Association 10.5 pH Max. pH-value in Usage Concentration To passible Association 10.5 pH Gtin-13 Number To guantity 100 Pcs. 101 Pcs. 102 Pcs. 103 Pcs. 104 Pcs. 105 Pcs. 106 Pcs. 107 Pcs. 108 Pcs. 109 Pcs. 100 P	Meets the REACH Regulation (EC) No. 1907/2006	Yes
S Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 65 mm Height 130 mm Net Weight 0.5 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Tare total 0.0252 kg Gross Weight 0.53 kg Cubik metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317934	California Proposition 65 Compliant	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 65 mm Height 130 mm Net Weight 0.5 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.009 kg Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Tare total 0.0252 kg Gross Weight 0.53 kg Cubik metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317934	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 65 mm Height 130 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.009 kg Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Tare total 0.0252 kg Gross Weight 0.53 kg Cubik metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317934	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)60 Pcs.Length410 mmWidth65 mmHeight130 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.0252 kgGross Weight0.53 kgCubik metre0.003465 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317934	Box Quantity	10 Pcs.
Length 410 mm Width 65 mm Height 130 mm Net Weight 0.5 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.009 kg Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Tare total 0.0252 kg Gross Weight 0.53 kg Cubik metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317934	Quantity per Pallet (80 x 120 x 180-200 cm)	480 Pcs
Width 65 mm Height 130 mm Net Weight 0.5 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Tare total 0.0252 kg Gross Weight 0.53 kg Cubik metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317934	Quantity Per Layer (Pallet)	60 Pcs.
Height 130 mm Net Weight 0.5 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.009 kg Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Tare total 0.0252 kg Gross Weight 0.53 kg Cubik metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317934	Length	410 mm
Net Weight0.5 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.0252 kgGross Weight0.53 kgCubik metre0.003465 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317934	Width	65 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.0252 kgGross Weight0.53 kgCubik metre0.003465 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317934	Height	130 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubik metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number	Net Weight	0.5 kg
Tare total 0.0252 kg Gross Weight 0.53 kg Cubik metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317934		0.009 kg
Gross Weight 0.53 kg Cubik metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317934	Weight cardboard (Recycling symbol "20" PAP)	0.0162 kg
Cubik metre0.003465 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317934	Tare total	0.0252 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317934	Gross Weight	0.53 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317934	Cubik metre	0.003465 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317934	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317934	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ Max. drying temperature Min. pH-value in usage concentration pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317934	Max usage temperature (food contact)	80 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317934	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317934	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317934	Max. drying temperature	100 °C
Gtin-13 Number 5705020317934	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
GTIN-14 Number (Box quantity) 15705020317931	Gtin-13 Number	5705020317934
	GTIN-14 Number (Box quantity)	15705020317931

Customs Tariff No. 96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.

